

Material Safety Data Sheet

Sodium Fluoride

Section 1 - Chemical Pro	duct and Company Identification
MSDS Name	: Sodium Fluoride
Chemical Formula	:NaF
Synonyms	: Floridine
Company Identification	: Tradeasia International Pte Ltd
Email	: contact@chemtradeasia.com
6	

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
7681-49-4	Sodium fluoride	100%

Toxicological Data on Ingredients:

Sodium fluoride: ORAL (LD50): Acute: 52 mg/kg [Rat]. 57 mg/kg [Mouse].

Section 3 - Hazards Identification

Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of eye contact (irritant, corrosive), of ingestion, of inhalation. Slightly hazardous in case of skin contact (corrosive). Severe over-exposure can result in death.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS:

A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC.

MUTAGENIC EFFECTS:

Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.



The substance may be toxic to kidneys, lungs, the nervous system, heart, gastrointestinal tract, cardiovascular system, bones, teeth. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4 - First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used.Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Serious Ingestion: Not available.



Section 5 - Fire Fighting Measures

Flammability of the Product: Non-flammable. Auto-Ignition Temperature: Not applicable. Flash Points: Not applicable. Flammable Limits: Not applicable. Products of Combustion: Not available. Fire Hazards in Presence of Various Substances: Not applicable. Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of static discharge: Not available. Slightly explosive in presence of heat. Non-explosive in presence of shocks. Fire Fighting Media and Instructions: Not applicable. Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Containers may explode when heated

Section 6 – Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Large Spill:

Poisonous solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7 - Handling and Storage

Precautions:

Do not ingest. Do not breathe dust. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, metals, acids, alkalis.



Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8 - Exposure Controls, Personal

Protection Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 2.5 (mg/m3) from NIOSH

Consult local authorities for acceptable exposure limits.

Section 9 - Physical and	I Chemical Properties
Appearance :	Solid. (Crystals solid. crystalline powder.)
Odor 🔰 🥼 🗄	Odorless
Taste :	Salty
Molecular weight :	41.99 g/mole
Color :	White
pH (1% soln/water)	Not available
Boiling Point :	1704°C
Melting Point :	993°C
Critical Temperature :	Not available
Specific Gravity :	2.78 (Water = 1)
Dispersion Properties :	See solubility in water



Solubility

Soluble in cold water, hot water.

Solubility in water: 5g/100 ml @ 100 deg. C, 4.3 g/100 @ 25 deg C, 4.0 g/100 ml @ 15 deg. C.

Very slighly soluble in alcohol.

Section 10 - Stability and Reactivity

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials, dust generation, excess heat

Incompatibility with various substances: Reactive with oxidizing agents, metals, acids, alkalis.

Corrosivity: Not available.

Special Remarks on Reactivity:

Contact with metals may evolve flammable hydrogen gas. Sodium reacts with acids to form hydrogen fluoride. Alkali fluorides (except lithium salt) absorb Sodium Fluoride to form acid fluorides.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11 - Toxicological Information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 52 mg/kg [Rat].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. May cause damage to the following organs: kidneys, lungs, the nervous system, heart, gastrointestinal tract, cardiovascular system, bones, teeth.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant), of eye contact (corrosive), of ingestion, of inhalation.

Slightly hazardous in case of skin contact (corrosive).

Special Remarks on Toxicity to Animals:

Lowest Published Lethal Dose:



LDL [Human] - Route: Oral; Dose: 71 mg/kg LDL [Woman] - Route: Oral; Dose: 90 mg/kg LDL [Woman] - Route: Oral; Dose: 360 mg/kg LDL [Mouse] - Route: Skinl; Dose: 300 mg/kg Special Remarks on Chronic Effects on Humans: May cause adverse reproductive effects (fertility, fetoxicity), and birth defects based on animal data. May cause cancer based on animal data. May cause genetic (mutagenic) and tumorigenic effects. Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects: Skin: Causes skin irritation and possible burns, especially if skin is wet or moist. Eyes: Causes eye irritation and burns. May cause chemical conjunctivitis and corneal damage. Ingestion: Harmful if swallowed. Causes digestive (gastrointestinal) tract irritation and burns. May cause severe and permanent damage to the digestive. Ingestion of large amounts may cause salivation, thirst, nausea, vomiting, hypermotility, diarrhea, and abdominal pain. May affect behavior/central nervous system/nervous system (headache, nervousness, dizziness, seizures, convulsions, tremor, muscle weakness, somnolence), respiration (respiratory depression, dyspnea), cardiovascular system (weak pulse, hypotension, dysrhythmias, cardiac arrest), liver, urinary system (polyuria, polydypsia) brain, metabolism (loss of appetite, hypcalcemia, hyperkalemia, hypomagnesia), teeth, bones, and blood (changes in red and white blood cell count, interference in blood coagulation)

Inhalation: Causes irritation and chemical burns of the respiratory tract with coughing, breathing difficulty and possibly nasal septum perforation and coma. May affect bones. Chronic Potential Heath Effects:

Chronic ingestion may cause fluorosis. Effects of fluorisis may include joint pain, weakness, limited joint mobility, brittle bones, ossifications on x-ray, thickening of long bone cortices, calcificaiton of ligaments, osteomalacia, osteosclerosis (skeletal (bone and teeth) abnormalties) and mottled tooth enamel. Other symptoms may include anemia, nausea, vomiting, diarrhea or constipation, kidney damage and weight loss/anorexia. Chronic inhalation may cause bronchitis to develop with cough, phlegm, and/or shortness of breath, liver (hepatic enzymes increased, jaundice).



Ecotoxicity	
•	: Not available
BOD5 and COD	: Not available
Products of Biodegradation	: Possibly hazardous short term degradation products are not
	likely. However, long term degradation products may arise.
Toxicity of the Products of	: The products of degradation are more toxic.
Biodegradation	
Section 13 - Disposal Considera	ations
Waste Disposal:	
Waste must be disposed of in a	ccordance with federal, state and local environmental control
regulations.	
Section 14 - Transportation Info	
DOT Classification	: CLASS 6.1: Poisonous material.
Identification	: Sodium fluoride UNNA: 1690 PG: III
Special Provisions for Transport	t : Not available.
Section 15 - Regulatory Informa	tion
	tion
Federal and State Regulations:	tion
Federal and State Regulations: California prop. 65:	
Federal and State Regulations: California prop. 65: This product contains the follow	ing ingredients for which the State of California has found to cause
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would requir	
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would requir	ing ingredients for which the State of California has found to cause
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would requir prop. 65: This product contains the follow	ing ingredients for which the State of California has found to cause e a warning under the statute: No products were found. California ing ingredients for which the State of California has found to cause
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would requir prop. 65: This product contains the follow	ing ingredients for which the State of California has found to cause e a warning under the statute: No products were found. California
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would requir prop. 65: This product contains the follow cancer which would require a wa	ing ingredients for which the State of California has found to cause e a warning under the statute: No products were found. California ing ingredients for which the State of California has found to cause
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would require prop. 65: This product contains the follow cancer which would require a wa hazardous material survey:	ing ingredients for which the State of California has found to cause e a warning under the statute: No products were found. California ing ingredients for which the State of California has found to cause arning under the statute: No products were found. Connecticut
birth defects which would requir prop. 65: This product contains the follow	ing ingredients for which the State of California has found to cause e a warning under the statute: No products were found. California ing ingredients for which the State of California has found to cause arning under the statute: No products were found. Connecticut I safety act: Sodium fluoride
Federal and State Regulations: California prop. 65: This product contains the follow birth defects which would require prop. 65: This product contains the follow cancer which would require a wa hazardous material survey: Sodium fluoride Illinois chemica	ing ingredients for which the State of California has found to cause e a warning under the statute: No products were found. California ing ingredients for which the State of California has found to cause arning under the statute: No products were found. Connecticut I safety act: Sodium fluoride Sodium fluoride

Pennsylvania RTK: Sodium fluoride

Massachusetts RTK: Sodium fluoride



Massachusetts spill list: Sodium fluoride New Jersey: Sodium fluoride New Jersey spill list: Sodium fluoride Louisiana spill reporting: Sodium fluoride California Director's List of Hazardous Substances: Sodium fluoride TSCA 8(b) inventory: Sodium fluoride TSCA 8(a) PAIR: Sodium fluoride CERCLA: Hazardous substances.: Sodium fluoride: 1000 lbs. (453.6 kg) Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances. Other Classifications: WHMIS (Canada): CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). CLASS D-2B: Material causing other toxic effects (TOXIC). DSCL (EEC): R25- Toxic if swallowed. R32- Contact with acids liberates very toxic gas. R36/38- Irritating to eyes and skin. S22- Do not breathe dust. S36- Wear suitable protective clothing. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Section 16 - Other Information

Notice:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.